




Where every mil or micron counts



The right solution

Achieving specified coating thickness and composition targets is critical to ensuring that functional requirements are met and waste from over-plating and rework is avoided.

Coatings analysis based on X-ray fluorescence is industry-proven and offers fast, non-destructive analysis.

The MAXXI 6 is designed to measure single-layer and multi-layer coatings – including alloyed layers – for the electronics and metal finishing markets. The instrument is optimised to ensure you get reliable, repeatable results for hundreds of applications including PCB surface finishes, connector coatings, corrosion resistance, decorative finishes, wear resistance, high temperature resistance and more.



Typical applications	Microspot XRF MAXXI & X-Strata series	Handheld XRF X-MET8000 series	Eddy / mag CMI series
Zn / Fe, Cr / Fe	~	~	~
ZnNi / Fe, SnZn / Fe	~	~	
Cr / Ni / Cu / ABS	~		
NiP / Fe	~	~	
Zr, Ti, Cr pre-treatment at nm-scale		~	
Multi-layer analysis	~		
Large, heavy parts		~	~
Anodizing			~
Paint on metals			~



Our Service **OVER 1,000 APPLICATIONS TESTED** contact@hitachi-hightech-as.com to Our global network of service hubs offers a full range of technical support to keep you up arrange a demo. and running. To find out more about our coatings solutions, visit www.hitachi-hightech.com/hha **Telephone help-desks** For a fast response to your problem. Online diagnostics In-depth support over the internet. **Preventive maintenance** Ensures your analyser produces the right result year after year. **Training** Understand your analyser and its features. **Extended warranties** Avoid unplanned costs. Consumables and accessories From sample preparation to calibration standards. Repairs Fast and efficient turnaround.

Other products

We have been providing industrial analysis products for the coatings market for over 40 years.

- Micro spot XRF: for precise analysis of the smallest samples and features.
- Handheld XRF: for portable coatings analysis of parts too large or heavy to fit in a benchtop system.
- | Electromagnetic gauges: for rapid thickness measurement of PCB copper, paint, anodising, electroplating and galvanising.

This publication is the copyright of Hitachi High-Tech Analytical Science Ltd and provides outline information only, which (unless agreed by the company in writing) may not be used, applied or reproduced for any purpose or form part of any order or contract or regarded as the representation relating to the products or services concerned. Hitachi High-Tech Analytical Science Ltd's policy is one of continued improvement. The company reserves the right to alter, without notice the specification, design or conditions of supply of any product or service.

Hitachi High-Tech Analytical Science Ltd acknowledges all trademarks and registrations.

© Hitachi High-Tech Analytical Science, 2017. All rights reserved.

Part number: 6300000129



